

Bulk Update Enhancement

Program(s): Eclare Software Report: 4502

Maintenance | Price Update | Vendor Bulk Update

Added a new "Markup Amount \$" option field to update costs by a fixed dollar amount. Now, either a percentage or a dollar amount may be entered (the unused field will be dimmed out). If a percentage or dollar amount has been entered and you then decide to use the other field, you must zero the first amount field before you can access the second one.

Show Item/Option References Enhancement

Program(s): Eclare Software Report: 4504

Maintenance | Setup Maintenance | Show Item / Option Reference

Changed the browser window and report to show the item count broken out by status. New count status columns are "Count-I" (Included) and "Count-A" (Alternate).

ECL: EXPORT GEMINI PO PRICE BOOK

Program(s): Eclare Software Report: 4621

***** POST-RELEASE PROGRAM CHANGE/UPDATE *****

***** Program Version: 2010.03 Released: 9 Nov 09 *****

File | Export | Export Gemini Price Book | Vendor Name

Fixed a vendor name selection problem so that the only data exported will be for a specific vendor, regardless of whether the user types in the full vendor name or selects it from a pop-up menu browser. Before, if a user typed in the full, correct vendor name instead of selecting it from the vendor pop-up selection menu, all data for all vendors would be exported.

TxText Maintenance Enhancement

Program(s): PSClient, Eclare, Gemini Software Report: 4527

Eclare and Gemini: File | TxText Maintenance

PSClient: Maintenance | Administrator | TxDocument Maintenance

Added a new token, "VendorContacts" (txVendorContacts in PSClient), that allows pre-defined Vendor Contacts information to be output to TxText documents.

Print Vendor Letters Enhancement

Program(s): PSClient, Eclare, Gemini Software Report: 4528

Eclare: File | Print Vendor Letters

Gemini: File | Print Vendor Letters

AP | Reports | Print Wavier of Lien

Added new logic to handle repetitive user-entered values for multiple tags at report runtime. Runtime user entry fields are created in TxText documents using the File | TxText Maintenance | New Doc/Open Doc | Insert | User Entry option.

Vendor Price Import Filename

Program(s): Eclare Software Report: 4625

File | Import | Import Vendor Pricing | Import Filename

Increased the size of the import filename to 255 characters long.

Relocate Program .INI File Location

Program(s): PSClient, Eclare, Gemini Software Report: 4656

Changed the Eclare, Gemini, and PSClient initialization (.INI) file default location to be the user's Documents and Settings folder. For example, C:\Documents and Settings\User Name\My Documents\Prosoft\Gemini.INI. The change will improve Prosoft's program compatibility with Windows XP*, Vista*, and the newer Version 7* (tentatively scheduled for release in October 2009) Operating Systems.

*Windows, XP, Vista, and Windows Version 7 are trademarks/registered trademarks of the Microsoft Corporation, Redmond, WA.

Data Conversion Call Correction

Program(s): PSClient, Eclare, Gemini Software Report: 4660

***** POST-RELEASE PROGRAM CHANGE/UPDATE *****
 ***** Program Version: 2010.01 Released: 1 Oct 09 *****

Eclare, Gemini, PSClient

Corrected the single company Data Conversion call from the affected program to properly handle file pathing on some computers when the path contains blank spaces.

Add Initialization File Location to Program "Target" Path

Program(s): PSClient, Eclare, Gemini Software Report: 4666

***** POST-RELEASE PROGRAM CHANGE/UPDATE *****
 ***** Program Version: 2010.01 Released: 21 Oct 09 *****

Eclare, Gemini, PSClient Programs

Added a new "INIPATH" call that checks the program's desktop icon "Target" field for it's initialization file (Eclare.INI, Gemini.INI, or PSClient.INI) location during program launch. Required for some network installations, if "INIPATH" is present in the Target line, the specified .INI file location will override the program's default location.

The initialization file should normally be located on the user's C drive. When required, the "INIPATH" call is entered after the program's launch command. It must be enclosed within paired quotation marks (" "), must be followed by an equal (=) sign, and cannot contain a space immediately before or after the equal sign. For example, assume a Gemini program is located on network drive P in a folder named Gemini and that you have a C drive but your network is set up to use a common network user folder. To have Gemini access it's .INI file in a folder named ProsoftINI on your C drive, the Target field in your Gemini desktop icon would be changed to read, "P:\Gemini\Gemini.EXE" "INIPATH=C:\ProsoftINI".

Changed Data Transfer and FTP Communications Protocol

Program(s): PSClient, Eclare, Gemini, Other Software Report: 4668

***** POST-RELEASE PROGRAM CHANGE/UPDATE *****
 ***** Program Version: 2010.02 Released: 21 Oct 09 *****

Eclare, Gemini, PSClient Programs

File | Backup Company Data | Send to Prosoft
 File | Supervisor | Restore Company Data | Retrieve from Prosoft
 Help | Check for Updates
 Help | Prosoft Server

PSFTPClient Program (Located on Prosoftinc.com Website)

Changed internal PSLink communications program to access our server(s) through our web address instead of a hard-coded, fixed IP address. It will allow us to change ISPs or otherwise move and/or update our communications server(s) as needed without having to change our programs to accomodate fixed IP address changes.